

Model	Description: Honeywell Field Sensors
<b>Room Temperature &amp; RH Sensor Wall Modules</b>	
TR21/U	Room Temperature sensor NTC 20K
TR21-A/U	10K TEMP WALL MODULE FOR AVRGING ONLY
TR21-H/U	Room Temperature and RH sensor NTC 20K with LON jack
TR21-J/U	Room Temperature sensor NTC 20K with lon jack
TR22/U	Room Temperature sensor NTC 20K with lon jack selectable set point adjustment
TR23/U	Room Temp sensor NTC 20K with lon jack selectable set point adj override button
TR23-H/U	Room Temp + RH sensor NTC 20K lon jack selectable setpoint adj override button
TR24/U	Room Temperature sensor NTC 20K override button lon jack
TR22-F5/U	Room Temperature sensor NTC 20K lon jack selectable set point 5 speed fan
TR23-F3/U	Room Temp sensor NTC 20K lon jack selectable set point 3 speed fan override button
TR23-F5/U	Room Temperature sensor NTC 20K lon jack selectable set point 5 speed fan
<b>Room Temperature (Wireless)</b>	
TR21-WK/U	Wireless sensor / transmitter and receiver kit 2.4Ghz
TR23-WK/U	Wireless sensor / transmitter with setpoint knob and receiver kit 2.4 Ghz
<b>Mini Room Temperature (56x46x19.3mm)</b>	
T7470A1009	Room Temperature sensor 20K NTC (pack of 5)
<b>Room Temperature &amp; Humidity (High Accuracy)</b>	
H7625A2010/U	Room Hum & Temp Sensor 20K ohm, RH 2% accuracy selectable output
H7635A2012/U	Room Hum & Temp Sensor 20K ohm, RH 3% accuracy selectable output
<b>Flush Mount Temperature (Stainless steel plate)</b>	
C7772A1012/U	Flush mount wall temperature sensor 20K NTC Honeywell logo
C7772G1012/U	Flush mount wall temperature sensor 10K NTC Honeywell logo
<b>Temperature Only Probe Sensor (Use with TR29 for wall)</b>	
C7068A1007	Temp sensor probe R/A, FCU or TR29 mount NTC20K, 10mm Dia.
C7068A1030	Temp sensor probe R/A, FCU or TR29 mount NTC10K, 10mm Dia.
50021579-001/U	Temp sensor probe R/A, FCU or TR29 mount Pt1000, 6mm Dia. (T775)
<b>Special purpose Temperature sensors</b>	
C7023P2004/U	NTC10K sensor type 111 for WEBS-AX I/O
<b>Wall sensor</b>	

<b>Model</b>	<b>Description: Honeywell Field Sensors</b>
TR29/U	Wall sensor housing (suitable for 6mm/10mm probes)
T7412B1040	Room Temperature Sensor
<b>Duct - Temperature &amp; Humidity (Terminal Enclosure) - AP</b>	
H7080B1103	Temp & Hum, RH 3%, NTC10K, 0°C~50°C
H7080B1105	Temp & Hum, RH 5%, NTC10K, 0°C~50°C
H7080B2103	Temp & Hum, RH 3%, NTC20K, 0°C~50°C
H7080B2105	Temp & Hum, RH 5%, NTC20K, 0°C~50°C
H7080B3102	Temp & Hum, RH 2%,Pt1000, 0°C~50°C
H7080B3103	Temp & Hum,RH 3%, Pt1000, 0°C~50°C
H7080B3105	Temp & Hum, Pt1000, RH 5%, 0°C~50°C
H7080B3242	Temp& Hum, RH2%, 0~10V/4~20mA -10°C~40°C
H7080B3243	Temp& Hum, RH3%, 0~10V/4~20mA -10°C~40°C
H7080B3272	Temp& Hum, RH2%, 0~10V/4~20mA, 0°C~70°C
H7080B3273	Temp& Hum, RH3%, 0~10V/4~20mA, 0°C~70°C
H7090B3262	Temp/Hum Transducer, Duct Mount, 2%Accuracy, -50-60°C, 4-20mA
H7090B3263	Temp/Hum Transducer, Duct Mount, 3%Accuracy, -50-60°C, 4-20mA
H7090B4262	Temp/Hum Transducer, Wall Mount, 2%Accuracy, -10-60°C, 4-20mA
H7090B4263	Temp/Hum Transducer, Wall Mount, 3%Accuracy, -10-60°C, 4-20mA
H7090C4202	Hum Transducer, Wall Mount, 2%Accuracy, 4-20mA
H7090C4203	Hum Transducer, Wall Mount, 3%Accuracy, 4-20mA
<b>Air Duct - Temperature &amp; Humidity (Terminal Enclosure) selectable output</b>	
H7625B2006/U	Duct Hum & Temp Sensor NTC20K, RH 2% accuracy selectable output
H7635C2015/U	
H7635B2018/U	Duct Hum & Temp Sensor NTC20K, RH 3% accuracy selectable output
<b>Air Duct - Temperature Only (Flange &amp; Probe Type)</b>	
C7770A1006/U	Air Duct Temperature Sensor 20K NTC, Aluminium probe
C7778A1006/U	Air Duct Temperature Sensor 10K NTC, Aluminium probe
C7046D1008/U	Air Duct Temperature Sensor PT1000, S/S probe (T775 controllers)
<b>Air Duct - Temperature Only (Cable with Probe)</b>	

<b>Model</b>	<b>Description: Honeywell Field Sensors</b>
LF00-1B54	Duct Temperature Sensor PT1000, IP54, 150MM
LF20-3B54	DUCT SENSOR NTC20K, IP54, 300MM
<b>Air Quality Sensor</b>	
HAIR4200T20	Air Quality Duct sensor, CO2 + VOC combined
HAIR4111T20R	Air Quality Sensor, CO2 + VOC combined
<b>Air Duct Temperature Only (Metal Terminal Enclosure)</b>	
C7041B2013/U	Air duct temp sensor, NTC20K, 305mm probe length
C7023B2013/U	Air duct temp sensor, NTC10K, 305mm probe length type 111
<b>NOTE: Various duct averaging sensors available on request</b>	
TE200D7I3	Copper duct avg. 6100mm (20') c/w ABS utility box
TE200FX7	OSA c/w ABS gasketed enclosure, hinged cover & sunshield/windshield
<b>Outdoor Temperature &amp; Humidity</b>	
H7635C2015/U	Outdoor Hum & Temp Sensor 20K ohm, RH 3% accuracy selectable output
<b>Outdoor Temperature Only</b>	
T7416A1022	Outdoor temp sensor NTC20K (EMEA)
AF20-B54	Outdoor temp sensor NTC20K, IP54
AF10-B54	Outdoor Temperature Sensor NTC10K, IP54
AF00-B54	Outdoor Sensor PT1000, IP54
C7021F2009/U	Outdoor air temperature sensor NTC10K type 11 (US model)
<b>Temperature Sensors</b>	
C7041N2020/U	20K III PROBE TEMP SENSOR, 6 IN. LEAD
C7021P2004/U	10K TYPE II STAINLS SMALL BUTN TEMP SENSOR
C7023P2004/U	10K TYPE III SENSOR(FOR WEB-AX I/O)
C7041P2004/U	20K SENSOR(FORW927/W7100/T7350/EXCEL)
C7772A1012/U	20K FLUSH WALL TEMP SENSOR, W/ LOGO
C7772F1012/U	10K II FLUSHWALLTEMPSENSOR,W/ LOGO
C7772G1012/U	10K III FLUSH TEMP SENSR, W/ LOGO
<b>Water Temperature Sensor With Well 1/2" thread</b>	
VF10T	Immersion Temperature Sensor Including 135mm Brass Well - NTC10K

Model	Description: Honeywell Field Sensors
VF20T	Immersion Temperature Sensor Including 135mm Brass Well - NTC20K
VF20NT	Immersion Temperature Sensor Including 135mm S/Steel Well - NTC20K
C7031D2003/U	Immersion temperature sensor Pt1000 - includes 127mm S/S well 1/2" NPT thread (US)
<b>Water Temperature Sensor strap-on (Terminal Enclosure)</b>	
VF10A	Water temperature sensor NTC10k Strap-on
VF20A	Water temperature sensor NTC20k Strap-on
T7414A1008	Water temperature sensor Pt1000 Strap-on
<b>Water Temperature sensor Probe Only</b>	
C7041N2020/U	Water/Air probe sensor with 1829mm lead - NTC20k
<b>Liquid Flow Switch</b>	
S6065A1003	Flow switch liquid paddle type for pipe sizes 1" to 8" IP65
KSW24	Flow switch - switches when flow falls below or above adjusted value 1/2" connection
<b>Dewpoint Switch</b>	
HSS-DPS	Early Warning Dewpoint Switch 0-50°C IP40 24Vac
<b>CO2 Sensors</b>	
C7232A5810	CO2 Sensor, wall mount, no display, accuracy 2%, 0-10Vdc output (AP)
C7232A5812	CO2 Sensor, wall mount, with display, accuracy 2%, 0-10Vdc output (AP)
C7232B5820	CO2 Sensor, duct mount, no display, accuracy 2%, 0-10Vdc output (AP)
C7110C1001	Room CO2 Transmitter 0-10V
C7110D1009	Room CO2 Transmitter and NTC20 Sensor.+Set Point +OCCUP
C7232B1006/U	CO2 Duct Sensor, Display, 2-10VDC/0/4-20MA
C7232B1022/U	CO2 Duct Sensor, Display, 2-10VDC/0/4-20MA
C7110A1010	ROOM AIR QUALITY SENSOR. 0-10VOLT
<b>CO2 &amp; combination sensors / transmitters</b>	
C7262A1008/U	Wall Mount CO2, Temp with LCD display NTC 20K 1 x analogue and 1 x SPST CO2 outputs
C7262A1016/U	Wall mount CO2, Temp no display NTC 20K 1 x analogue and 1 x SPST CO2 outputs
CDD5A100	Wall mount Space, CO2, humidity and temperature transmitter with 4-20mA outputs
CDD5B100	Wall mount CO2/ temp/ humidity sensor. Analogue 0-5/0-10 Vdc Output, without display
CDD5A200	Air Duct, CO2, humidity and temperature transmitter with 4-20mA outputs

Model	Description: Honeywell Field Sensors
AQS71-KAM	Air Duct CO2 + temp transmitter with calibration free technology
<b>Carbon Monoxide (CO) transmitters (Add to Oracle)</b>	
HCMD5B4000	CO Space detector, 5%, c/w 2 wire 4-20mA output
HCMD5B4100	CO Space detector, 5%, c/w 3 wire 4-20mA output and adjustable relay
HCMD5B5000	CO Duct detector, 5%, c/w 2 wire 4-20mA output
HCMD5B5100	CO Duct detector, 5%, c/w 3 wire 4-20mA output and adjustable relay
-MOD	Modbus communications option
-BAC	BACnet communications option (not available on mini CO detector)
CO-NIST	NIST calibration and certificate
HTE500G121	Temperature Transmitter with Pt1000 ohm RTD
<b>Nitrogen Dioxide NO transmitters</b>	
NDD5B1100	NO2 detector, 5%, mini c/w 3 wire 4-20mA output and adjustable relay
<b>Differential Pressure Switch Air</b>	
DPS200	DP-SWITCH, 20-200 PA (AP)
DPS200B	DP-SWITCH, 20-200 PA (Bulk Pack 30pcs)
DPS400	Differential Pressure Switch Air 40 - 400 Pa (AP)
DPS400B	Differential Pressure Switch Air 40 - 400 Pa (Bulk Pack 30pcs)
DPS1000	DPS SWITCH, 200-1000 PA (AP)
DPS1000B	DPS SWITCH, 200-1000 PA (Bulk Pack 30pcs)
DPS2500	DPS SWITCH, 500-2500 PA (AP)
DPS2500B	DPS SWITCH, 500-2500 PA (Bulk Pack 30pcs)
<b>DIFFERENTIAL PRESSURE TRANSMITTER (Air &amp; non aggressive gases)</b>	
DPTE100	DIFFERENTIAL PRESSURE TRANSMITTER ( 0-100Pa)
DPTE1000	DIFFERENTIAL PRESSURE TRANSMITTER (0-1kPa)
DPTE100S	DIFFERENTIAL PRESSURE TRANSMITTER (-100...0...+100pa)
DPTE1000S	DIFFERENTIAL PRESSURE TRANSMITTER (-1kPa...0...+1kPa)
DPTE250	DIFFERENTIAL PRESSURE TRANSMITTER (0- 250Pa)
DPTE50S	DIFFERENTIAL PRESSURE TRANSMITTER (-50...0...+50Pa)
DPTE500	DIFFERENTIAL PRESSURE TRANSMITTER (0-500Pa)

<b>Model</b>	<b>Description: Honeywell Field Sensors</b>
DPTE5000	DIFFERENTIAL PRESSURE TRANSMITTER (0 - 5kPa)
DPTAQ8	DIFFERENTIAL PRESSURE TRANSMITTER 8 pressure ranges, auto re-zeroing.
DPTAQ8D	DIFFERENTIAL PRESSURE TRANSMITTER 8 pressure ranges, auto re-zeroing, red LED
DPTA25S	DIFFERENTIAL PRESSURE TRANSMITTER (-25/ +25Pa)
HULP1-BAC	Ultra Low differential pressure - with BACnet communications +/-1.0" WC or +/-250 Pa
<b>Differential Pressure Switch Liquid</b>	
UEC24014M262/U	Differential Pressure Switch Liquid range 28 to 310 kPa
<b>Differential Pressure Transmitter Liquid no display (Greystone HLA Logo)</b>	
HWP-D-109	Liquid Differential Pressure transmitter 0-50,100,250,500 kPa
HWP-D-110	Liquid Differential Pressure transmitter 0-75,150,375,750 kPa
HWP-D-111	Liquid Differential Pressure transmitter 0-100,200,500,1000 kPa
HWP-D-112	Liquid Differential Pressure transmitter 0-300,600,1500,3000 kPa
<b>Differential Pressure Transmitter Liquid with display (Greystone HLA Logo)</b>	
HWP-D-109-LCD	Liquid Differential Pressure transmitter 0-50,100,250,500 kPa with LCD display
HWP-D-110-LCD	Liquid Differential Pressure transmitter 0-75,150,375,750 kPa with LCD display
HWP-D-111-LCD	Liquid Differential Pressure transmitter 0-100,200,500,1000 kPa with LCD display
HWP-D-112-LCD	Liquid Differential Pressure transmitter 0-300,600,1500,3000 kPa with LCD display
<b>Current Switch (Greystone HLA Logo)</b>	
CS-CNG-100	Mini Solid Core 30Vac / dc switch (go no go) 0.5 to 100 amp.
CS-610-75	Mini Solid Core 30Vac / dc switch 0.75 to 75 amps with LED
CS-610-200	Solid core AC/DC switch; Mosfet, 200 amps, status LED's
CS-425-HC-5	Solid core Vac swtch; Triac, hi current switch, 5 min off time delay